

Schedule

Issue date: 01 November 2021
Valid until: 31 October 2024



NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 1 of 51

LABORATORY LOCATION:
(PERMANENT LABORATORY)



CHEMSAIN KONSULTANT SDN. BHD.
172, ROCK ROAD
93200 KUCHING
SARAWAK, MALAYSIA

FIELDS OF TESTING:

CHEMICAL & MICROBIOLOGY

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none">Water and Wastewater	Color	APHA 2120 C, 2005 APHA 2120 C, 2017
	Colour ADMI	APHA 2120 F, 2005 APHA 2120 F, 2017
	Acidity	APHA 2310 B, 2005 APHA 2310 B, 2017
	Alkalinity	APHA 2320 B, 2005 APHA 2320 B, 2017
	Conductivity	APHA 2510 B, 2005 APHA 2510 B, 2017
	Temperature	APHA 2550 B, 2005 APHA 2550 B, 2017
	Oxygen (Dissolved)	APHA 4500-O C, 2005 APHA 4500-O C, 2017
	Oxygen (Dissolved)	APHA 4500-O G, 2005 APHA 4500-O G, 2017
pH Value	APHA 4500-H ⁺ B, 2005 APHA 4500-H ⁺ B, 2017	

Scan this QR Code or visit www.ism.gov.my/cab-direktories for the current scope of accreditation

NO: SAMM 057(Issue 2, 1 November 2021 replacement
of SAMM 057 dated 5 July 2021)

Page: 2 of 51

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none"> Water and Wastewater 	Turbidity Free Residual Chlorine (DPD) Combined Residual Chlorine (DPD) Total Residual Chlorine (DPD) Free and Total Chlorine Free Carbon Dioxide Hardness, ETDA Titrimetric Hardness by Calculation Calcium Hardness, EDTA Titrimetric Magnesium Hardness, Calculation Method Total Solids Total Dissolved Solids Total Suspended Solids	APHA 2130 B, 2005 APHA 2130 B, 2017 In-House Method 0501 based on Palintest Comparator In-House Method 0501 based on Palintest Comparator In-House Method 0501 based on Palintest Comparator APHA 4500 Cl G, 2005 APHA 4500 Cl G, 2017 APHA 4500-CO ₂ C, 2005 APHA 4500-CO ₂ C, 2017 APHA 2340 C, 2005 APHA 2340 C, 2017 APHA 2340 B, 2005 APHA 2340 B, 2017 APHA 3500-Ca B, 2005 APHA 3500-Ca B, 2017 APHA 3500-Mg B, 2005 APHA 3500-Mg B, 2017 APHA 2540 B, 2005 APHA 2540 B, 2017 APHA 2540 C, 2005 APHA 2540 C, 2017 APHA 2540 D, 2005 APHA 2540 D, 2017

Scan this QR Code or visit www.ism.gov.my/cab-direktories for the current scope of accreditation

NO: SAMM 057(Issue 2, 1 November 2021 replacement
of SAMM 057 dated 5 July 2021)**SCOPE OF TESTING: CHEMICAL**

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none"> Water and Wastewater 	Chloride	APHA 4500-Cl ⁻ B, 2005 APHA 4500-Cl ⁻ B, 2017
	Sulphate	APHA 4500-SO ₄ ²⁻ C, 2005 APHA 4500-SO ₄ ²⁻ C, 2017
	Sulphate	APHA 4500-SO ₄ ²⁻ E, 2005 APHA 4500-SO ₄ ²⁻ E, 2017
	Fluoride	APHA 4500- F ⁻ C, 2005 APHA 4500- F ⁻ C, 2017
	Phosphorus	APHA 4500-P D, 2005 APHA 4500-P D, 2017
	Nitrate Nitrogen/Nitrate	APHA 4500-NO ₃ ⁻ E, 2005 APHA 4500-NO ₃ ⁻ E, 2017
	Nitrite Nitrogen/Nitrite	APHA 4500-NO ₂ ⁻ B, 2005 APHA 4500-NO ₂ ⁻ B, 2017
	Ammoniacal Nitrogen/Ammonia	APHA 4500-NH ₃ B & C, 2005 APHA 4500-NH ₃ B & C, 2017
	Ammoniacal Nitrogen/Ammonia	APHA 4500-NH ₃ B & F, 2005 APHA 4500-NH ₃ B & F, 2017
	Total Nitrogen, Kjeldahl	APHA 4500-Norg B, 2005 APHA 4500-Norg B, 2017
	Biochemical Oxygen Demand (BOD) 5 days @ 20°C	APHA 5210 B & APHA 4500-O C, 2005 APHA 5210 B & APHA 4500-O C, 2017
	Biochemical Oxygen Demand (BOD) 5 days @ 20°C	APHA 5210 B & APHA 4500-O G, 2005 APHA 5210 B & APHA 4500-O G, 2017
	Chemical Oxygen Demand (COD)	APHA 5220 B, 2005 APHA 5220 B, 2017
Chemical Oxygen Demand (COD)	APHA 5220 C, 2005 APHA 5220 C, 2017	

NO: SAMM 057(Issue 2, 1 November 2021 replacement
of SAMM 057 dated 5 July 2021)**SCOPE OF TESTING: CHEMICAL**

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none"> Water and Wastewater 	Silver, Cadmium, Chromium, Copper, Iron, Manganese, Nickel, Lead, Zinc, Sodium, Potassium, Calcium, Magnesium Barium, Molybdenum, Vanadium, Silicon, Aluminium Tin Arsenic Selenium Aluminium Mercury Total Mercury Methyl Mercury Boron Boron Chromium Hexavalent Chromium Trivalent	APHA 3030F & APHA 3111 B, 2005 APHA 3030F & APHA 3111 B, 2017 APHA 3030F & APHA 3111 D, 2005 APHA 3030F & APHA 3111 D, 2017 In-House Method 0502 based on APHA 3111 D, 2005 In-House Method 0502 based on APHA 3111 D, 2017 APHA 3114 B & C, 2005 APHA 3114 B & C, 2017 APHA 3114 C, 2005 APHA 3114 C, 2017 APHA 3500-AI B, 2005 APHA 3500-AI B, 2017 In-House Method 0535 based on APHA 3112 B, 2005 In-House Method 0535 based on APHA 3112 B, 2017 In House Method 0574 based on USEPA 1631 In House Method 0575 based on USEPA 1630 APHA 4500-B B, 2005 APHA 4500-B B, 2017 APHA 4500-B C, 2005 APHA 4500-B C, 2017 APHA 3500-Cr B, 2005 APHA 3500-Cr B, 2017 In-House method 0508 based on APHA 3500-Cr B, 1998

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none"> Water and Wastewater 	Sulphide Sulphide Cyanide Cyanide Phenol Anionic Surfactant as MBAS Formaldehyde Total Organic Carbon Total Organic Carbon Oil and Grease Hydrocarbons/Mineral Oil (Commonly known as Total Petroleum Hydrocarbon) Total Petroleum Hydrocarbon	APHA 4500 S ² - D, 2005 APHA 4500 S ² - D, 2017 APHA 4500-S ² - F, 2005 APHA 4500-S ² - F, 2017 APHA 4500-CN C & E, 2005 APHA 4500-CN C & E, 2017 APHA 4500-CN C & F, 2005 APHA 4500-CN C & F, 2017 APHA 5530 B & C, 2005 APHA 5530 B & C, 2017 APHA 5540 C, 2005 APHA 5540 C, 2017 In-House Method 0527 based on AOAC 931.08 APHA 5310 B, 2005 APHA 5310 B, 2017 APHA 5310 C, 2005 APHA 5310 C, 2017 APHA 5520 B, 2005 APHA 5520 B, 2017 APHA 5520 F, 2005 APHA 5520 F, 2017 In House Method 0539 based on TNRCC method 1005, rev 03, 1 st June 2001

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 6 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none"> Water and Wastewater 	Polycyclic Aromatic Hydrocarbon (see Appendix A) Benzene, Toluene, Ethyl Benzene and o, p, m – Xylene (BTEX) Glyphosate/ Amminomethyl phosphonic acid	In-House Method 0538 based on USEPA 3510C December 1996 & In-House Method 0534 based on USEPA 8270C December 1996 In-House Method 0521 based on USEPA 8260/5030 C, 1996 In House Method 0566 based on Agilent Application Note 5091-3621 E

Signatories:

- | | |
|-------------------------------------|--|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08 |
| 4. Jong Hui Lan | IKM No. M/306/5660/10/10 |
| 5. Michelle Crystal | IKM No. M/4583/6551/13/16 |
| 6. Dr. John S.T. Chan | IKM No. M/1248/2348/93
(Exclude BTEX, Hg, TOC, PAH, Glyphosate, Total Mercury & Methyl Mercury) |
| 7. Caroline Joan Anak Dan | IKM No. L/2658/7882/17 |
| 8. Tiong Huo Bing | IKM No. M/5473/8826/21 |
| 9. Siti Nurhairunissa Binti Drahman | IKM No. L/2533/7553/16 |

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 7 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none"> Water and Wastewater 	<u>Organochlorinated pesticides</u> Aldrin Dieldrin Cis Chlordane Trans Chlordane 4,4'-DDE 4,4'-DDT 4,4'-DDD Heptachlor Heptachlor Epoxide Lindane (α BHC) α-BHC β-BHC δ-BHC Endosulfan I Endosulfan II Endosulfan Sulfate Endrin Endrin Ketone Endrin Aldehyde Methoxychlor	In House Method 0587 based on USEPA 3510 C, 508 & 608
	<u>Polychlorinated biphenyls</u> 2-Chlorobiphenyl (1) 3,3'-Dichlorobiphenyl (11) 2,4,5-Trichlorobiphenyl (29) 2,2',4,4'-Tetrachlorobiphenyl (47) 2,3',4,5',6-Pentachlorobiphenyl (121) 2,2',3,3',6,6'-Hexachlorobiphenyl (136) 2,2',3,4,5,5',6-Heptachlorobiphenyl (185) 2,2',3,3',4,4',5,5'-Octachlorobiphenyl (194) 2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl (206) Decachlorobiphenyl (209)	In House Method 0596 based on USEPA 3510 C and USEPA 8270 C
	2,4 D 2,4,5-T 2,4,5-TP (Silvex)	In House Method 0599 based on American Laboratory Technical Article 36154
	Methyl Tert-Butyl Ether (MTBE)	In House Method 5997 based on USEPA 5030 C & USEPA 8260 C

Scan this QR Code or visit www.ism.gov.my/cab-direktories for the current scope of accreditation

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 8 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none"> Water and Wastewater 	Vinyl Chloride	In House Method 0576 based on USEPA 5030 C & USEPA 8260 C
	Carbon Dioxide by Calculation	APHA 4500-CO ₂ D, 2017
	Arsenic III	APHA 3500-As B, 2017
	Total Nitrogen by Calculation	In House Method 5996 based on USEPA Definition of Total Nitrogen
	Paraquat	In House Method 0598 based on 134-A of Manual of Pesticides Residual Analysis, Volume II, DFG
	Chlorophyll a	APHA 10200 H, 2017
	*Oil and Grease (Mineral)	APHA 5520 F, 2005 APHA 5520 F, 2017
	*Oil and Grease (Emulsified Edible)	APHA 5520 B & F, 2005 APHA 5520 B & F, 2017
Calcium	APHA 3030F & APHA 3111D, 2005/2017	

Note:

- *As per National Water Quality Standards for Malaysia DFG- Deutsche Forschungsgemeinschaft

Signatories:

- | | |
|-------------------------------------|---------------------------|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08 |
| 4. Michelle Crystal | IKM No. M/4583/6551/13/16 |
| 5. Caroline Joan Anak Dan | IKM No. L/2658/7882/17 |
| 6. Tiong Huo Bing | IKM No. M/5473/8826/21 |
| 7. Siti Nurhairunissa Binti Drahman | IKM No. L/2533/7553/16 |



NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
<p>Environmental Monitoring</p> <ul style="list-style-type: none"> Water and Wastewater 	<p>Silver (Ag)</p> <p>Aluminium (Al)</p> <p>Arsenic (As)</p> <p>Boron (B)</p> <p>Barium (Ba)</p> <p>Beryllium (Be)</p> <p>Bismuth (Bi)</p> <p>Calcium (Ca)</p> <p>Cadmium (Cd)</p> <p>Cobalt (Co)</p> <p>Chromium (Cr)</p> <p>Copper (Cu)</p> <p>Iron (Fe)</p> <p>Potassium (K)</p> <p>Lithium (Li)</p> <p>Magnesium (Mg)</p> <p>Manganese (Mn)</p> <p>Molybdenum (Mo)</p> <p>Sodium (Na)</p> <p>Nickel (Ni)</p> <p>Phosphorus (P)</p> <p>Lead (Pb)</p> <p>Sulphur (S)</p>	<p>APHA 3030F & APHA 3120B, 2005</p> <p>APHA 3030F & APHA 3120B, 2017</p>

Scan this QR Code or visit www.ism.gov.my/cab-direktories for the current scope of accreditation

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 10 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none"> Water and Wastewater 	Antimony (Sb)	APHA 3030F & APHA 3120B, 2005 APHA 3030F & APHA 3120B, 2017
	Selenium (Se)	
	Tin (Sn)	
	Strontium (Sr)	
	Titanium (Ti)	
	Thalium (Tl)	
	Vanadium (V)	
	Zinc (Zn)	
	Tellurium (Te)	
	Uranium (U)	
	Platinum (Pt)	
	Gold (Au)	
	Palladium (Pd)	
Iridium (Ir)		
	Volatile Organic Carbon (Appendix B)	In house Method 6042 based on USEPA 5030C & USEPA 8260D
	Trihalomethanes: Chloroform Bromodichloromethane Chlorodibromomethane Bromoform	In House Method 5021 based on USEPA 5030C & USEPA 8260D

Scan this QR Code or visit www.ism.gov.my/cab-direktories for the current scope of accreditation

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 11 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none"> Water and Wastewater 	<u>Organochlorinated Pesticides</u> Aldrin Dieldrin Cis Chlordane Trans Chlordane 4,4'-DDE 4,4'-DDT 4,4'-DDD Heptachlor Heptachlor Epoxide Lindane (γ -BHC) α -BHC β -BHC δ -BHC Endosulfan I Endosulfan II Endosulfan Sulfate Endrin Endrin Ketone Endrin Aldehyde Methoxychlor	In House Method 6040 based on USEPA 608 & USEPA 8270E

Signatories:

- | | |
|-------------------------------------|---------------------------|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08 |
| 4. Michelle Crystal | IKM No. M/4583/6551/13/16 |
| 5. Caroline Joan Anak Dan | IKM No. L/2658/7882/17 |
| 6. Tiong Huo Bing | IKM No. M/5473/8826/21 |
| 7. Siti Nurhairunissa Binti Drahman | IKM No. L/2533/7553/16 |

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring		
<ul style="list-style-type: none"> Wastewater from Rubber and Palm Oil Mills 	Biochemical Oxygen Demand 3 days @ 30°C	DOE 2019, Reference Method DOE 2019, Alternative Method
	Chemical Oxygen Demand	DOE 2019, Reference Method
	Suspended Solids	DOE 2019, Reference Method
	Oil & Grease	DOE 2019, Reference Method
	Ammoniacal Nitrogen	DOE 2019, Reference Method
	Total Nitrogen, Kjeldhal	DOE 2019, Reference Method

Note:

- DOE: Department of Environmental

Signatories:

- | | |
|-------------------------------------|---------------------------|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08 |
| 4. Jong Hui Lan | IKM No. M/306/5660/10/10 |
| 5. Michelle Crystal | IKM No. M/4583/6551/13/16 |
| 6. Caroline Joan Anak Dan | IKM No. L/2658/7882/17 |
| 7. Tiong Huo Bing | IKM No. M/5473/8826/21 |
| 8. Siti Nurhairunissa Binti Drahman | IKM No. L/2533/7553/16 |

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 13 of 51

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none"> Sludge, Soil, Sediment and Waste 	Hexane Extractable Matter (Commonly Known as Oil & Grease) Hydrocarbon Total Petroleum Hydrocarbon Polycyclic Aromatic Hydrocarbon Total Cyanide Organic Carbon Toxicity Characteristic Leaching Procedure (TCLP)	USEPA 9071 B, April 1998 In House Method 0559 based on USEPA 9071 B & USEPA 1664 In House Method 0539 based on TNRCC method 1005, rev 03, 1 st June 2001 In-House Method 0537 based on USEPA 3540 C in combination with In-House Method 0534 based on USEPA 8270 C December 1996 In House Method 0562 based on USEPA 9010 C & USEPA 9213 (By ISE) MS 2469:2012 USEPA 1311 (Metals Only)

Signatories:

- | | |
|----------------------------------|----------------------------------|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08 |

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 14 of 51

SCOPE OF TESTING: CHEMICAL

Materials / Products tested	Type of tests / Properties measured / Range of measurement	Standard test methods / Equipment / Techniques
Environmental Monitoring <ul style="list-style-type: none"> Sludge, Soil, Sediment and Waste 	Aluminium (as Al) Cadmium as (Cd) Copper as (Cu) Iron (as Fe) Lead (Pb) Nickel (Ni) Zinc (Zn)	USEPA 3050 B, December 1996 & USEPA 7000 B, Feb 2007
	Aluminium (as Al) Cadmium as (Cd) Chromium as (Cr) Copper as (Cu) Iron (as Fe) Lead (Pb) Sodium (as Na) Zinc (Zn)	USEPA 200.2, Revision 2.8, EMMC V & USEPA 7000 B, Feb 2007
	Arsenic (As)	USEPA 200.2, Revision 2.8, EMMC V & USEPA 206.3
	pH	USEPA 9045 D Issue 4: 2004
	pH	MS 2457: 2012
	pH	USEPA 9040 C
	Methyl Mercury	In House Method 5994 based on USEPA 1630 and Analytica Chimica Acta, 281(1993) 135-152

Scan this QR Code or visit www.ism.gov.my/cab-direktories for the current scope of accreditation**Signatories:**

- | | |
|---------------------------|--|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08 |
| 4. Michelle Crystal | IKM No. M/4583/6551/13/16
(Methyl Mercury only) |

Schedule

Issue date: 01 November 2021
Valid until: 31 October 2024



NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 15 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none"> Sludge, Soil, Sediment and Waste 	Silver (Ag) Aluminium (Al) Arsenic (As) Boron (B) Barium (Ba) Beryllium (Be) Bismuth (Bi) Calcium (Ca) Cadmium (Cd) Cobalt (Co) Chromium (Cr) Copper (Cu) Iron (Fe) Potassium (K) Lithium (Li) Magnesium (Mg) Manganese (Mn) Molybdenum (Mo) Sodium (Na) Nickel (Ni) Phosphorus (P) Lead (Pb) Sulphur (S)	USEPA 200.2 & USEPA 6010D

Scan this QR Code or visit www.ism.gov.my/cab-direktories for the current scope of accreditation

Schedule

Issue date: 01 November 2021
Valid until: 31 October 2024



NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 16 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none"> Sludge, Soil, Sediment and Waste 	Antimony (Sb) Selenium (Se) Tin (Sn) Strontium (Sr) Titanium (Ti) Thallium (Tl) Vanadium (V) Zinc (Zn) Tellurium (Te) Uranium (U) Platinum (Pt) Gold (Au) Palladium (Pd) Iridium (Ir)	USEPA 200.2 & USEPA 6010D
	<u>Polychlorinated biphenyls PCB</u> 2-Chlorobiphenyl (1) 3,3'-Dichlorobiphenyl (11) 2,4,5-Trichlorobiphenyl (29) 2,2',4,4' -Tetrachlorobiphenyl (47) 2,3',4,5',6-Pentachlorobiphenyl (121) 2,2',3,3',6,6'-Hexachlorobiphenyl (136) 2,2',3,4,5,5',6-Heptachlorobiphenyl (185) 2,2',3,3',4,4',5,5'-Octachlorobiphenyl (194) 2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl (206) Decachlorobiphenyl (209)	In House Method 0519 based on USEPA 3540C and 8270C

Scan this QR Code or visit www.ism.gov.my/cab-directories for the current scope of accreditation

NO: SAMM 057(Issue 2, 1 November 2021 replacement
of SAMM 057 dated 5 July 2021)

Page: 17 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none"> Sludge, Soil, Sediment and Waste 	Mercury	USEPA 200.2 & USEPA 245.5
<ul style="list-style-type: none"> Sludge, Soil and Sediment 	Phosphorus	In House Method 0592 based on USEPA 200.2 & MS 417 Part 4, 1994

Signatories:

- | | |
|-------------------------------------|---------------------------|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08 |
| 4. Michelle Crystal | IKM No. M/4583/6551/13/16 |
| 5. Caroline Joan Anak Dan | IKM No. L/2658/7882/17 |
| 6. Tiong Huo Bing | IKM No. M/5473/8826/21 |
| 7. Siti Nurhairunissa Binti Drahman | IKM No. L/2533/7553/16 |



NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
<p>Environmental Monitoring</p> <ul style="list-style-type: none"> Solid Waste 	<p>Toxicity Characteristic Leaching Procedure (TCLP)</p> <p>Silver (Ag)</p> <p>Aluminium (Al)</p> <p>Arsenic (As)</p> <p>Boron (B)</p> <p>Barium (Ba)</p> <p>Beryllium (Be)</p> <p>Bismuth (Bi)</p> <p>Calcium (Ca)</p> <p>Cadmium (Cd)</p> <p>Cobalt (Co)</p> <p>Chromium (Cr)</p> <p>Copper (Cu)</p> <p>Iron (Fe)</p> <p>Potassium (K)</p> <p>Lithium (Li)</p> <p>Magnesium (Mg)</p> <p>Manganese (Mn)</p> <p>Molybdenum (Mo)</p> <p>Sodium (Na)</p> <p>Nickel (Ni)</p> <p>Phosphorus (P)</p> <p>Lead (Pb)</p> <p>Sulphur (S)</p>	<p>USEPA 1311 & USEPA 6010D</p>

Scan this QR Code or visit www.ism.gov.my/cab-directories for the current scope of accreditation

Schedule

Issue date: 01 November 2021
Valid until: 31 October 2024



NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 19 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none"> Solid Waste 	Toxicity Characteristic Leaching Procedure (TCLP) Antimony (Sb) Selenium (Se) Tin (Sn) Strontium (Sr) Titanium (Ti) Thallium (Tl) Vanadium (V) Zinc (Zn) Tellurium (Te) Uranium (U) Platinum (Pt) Gold (Au) Palladium (Pd) Iridium (Ir)	USEPA 1311 & USEPA 6010D
<ul style="list-style-type: none"> Soil/Sediment/Solids 	Particle Size Distribution	In House Method 0588 based on BS 1377 1990, Part: 2
<ul style="list-style-type: none"> Soil/Sediment/Sludge/Solids Semisolid/Biosolids 	Dry Solids/Total Solids Moisture	In House Method 6010 based on USEPA 1684

Scan this QR Code or visit www.ism.gov.my/cab-direktories for the current scope of accreditation

Signatories:

1. **Sim Hang Thiew** IKM No. M/0688/1530/83
2. **Winnie Ling Siew Kiong** IKM No. M/2749/4716/05/08
3. **Tang Jock Kie** IKM No. M/2747/5242/08/08
4. **Michelle Crystal** IKM No. M/4583/6551/13/16
5. **Caroline Joan Anak Dan** IKM No. L/2658/7882/17
6. **Tiong Huo Bing** IKM No. M/5473/8826/21
7. **Siti Nurhairunissa Binti Drahman** IKM No. L/2533/7553/16

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 20 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Water <ul style="list-style-type: none"> • Marine Water • Estuarine Water • Formation Water/Produce Water 	Color	APHA 2120 C, 2005 APHA 2120 C, 2017
	Colour ADMI	APHA 2120 F, 2005 APHA 2120 F, 2017
	Conductivity	APHA 2510 B, 2005 APHA 2510 B, 2017
	Salinity	APHA 2520B, 2017
	Acidity	APHA 2310 B, 2005 APHA 2310 B, 2017
	Alkalinity	APHA 2320 B, 2005 APHA 2320 B, 2017
	Temperature	APHA 2550 B, 2005 APHA 2550 B, 2017
	Oxygen (Dissolved)	APHA 4500-O C, 2005 APHA 4500-O C, 2017
	Oxygen (Dissolved)	APHA 4500-O G, 2005 APHA 4500-O G, 2017
	pH Value	APHA 4500-H ⁺ B, 2005 APHA 4500-H ⁺ B, 2017
	Turbidity	APHA 2130 B, 2005 APHA 2130 B, 2017
	Free Residual Chlorine (DPD)	In-House Method 0501 based on Palintest Comparator
	Combined Residual Chlorine (DPD)	In-House Method 0501 based on Palintest Comparator
Total Residual Chlorine (DPD)	In-House Method 0501 based on Palintest Comparator	
Free and Total Chlorine	APHA 4500 CI G, 2005 APHA 4500 CI G, 2017	

Scan this QR Code or visit www.ism.gov.my/cab-df/rectories for the current scope of accreditation

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Water <ul style="list-style-type: none"> • Marine Water • Estuarine Water • Formation Water/Produce Water 	Free Carbon Dioxide	APHA 4500-CO ₂ C, 2005 APHA 4500-CO ₂ C, 2017
	Hardness, ETDA Titrimetric	APHA 2340 C, 2005 APHA 2340 C, 2017
	Calcium Hardness, EDTA Titrimetric	APHA 3500-Ca B, 2005 APHA 3500-Ca B, 2017
	Magnesium Hardness, Calculation Method	APHA 3500-Mg B, 2005 APHA 3500-Mg B, 2017
	Total Solids	APHA 2540 B, 2005 APHA 2540 B, 2017
	Total Dissolved Solids	APHA 2540 C, 2005 APHA 2540 C, 2017
	Total Suspended Solids	APHA 2540 D, 2005 APHA 2540 D, 2017
	Chloride	APHA 4500-Cl ⁻ B, 2005 APHA 4500-Cl ⁻ B, 2017
	Sulphate	APHA 4500-SO ₄ ²⁻ C, 2005 APHA 4500-SO ₄ ²⁻ C, 2017
	Sulphate	APHA 4500-SO ₄ ²⁻ E, 2005 APHA 4500-SO ₄ ²⁻ E, 2017
	Fluoride	APHA 4500- F ⁻ C, 2005 APHA 4500- F ⁻ C, 2017
	Phosphorus	APHA 4500-P D, 2005 APHA 4500-P D, 2017
	Nitrate Nitrogen/Nitrate	APHA 4500-NO ₃ ⁻ E, 2005 APHA 4500-NO ₃ ⁻ E, 2017
Nitrite Nitrogen/Nitrite	APHA 4500-NO ₂ ⁻ B, 2005 APHA 4500-NO ₂ ⁻ B, 2017	

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 22 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Water <ul style="list-style-type: none"> • Marine Water • Estuarine Water • Formation Water/Produce Water 	Ammoniacal Nitrogen/Ammonia	APHA 4500-NH ₃ B & C, 2005 APHA 4500-NH ₃ B & C, 2017
	Ammoniacal Nitrogen/Ammonia	APHA 4500-NH ₃ B & F, 2005 APHA 4500-NH ₃ B & F, 2017
	Total Nitrogen, Kjeldahl	APHA 4500-Norg B, 2005 APHA 4500-Norg B, 2017
	Biochemical Oxygen Demand (BOD) 5 days @ 20°C	APHA 5210 B & APHA 4500-O C, 2005 APHA 5210 B & APHA 4500-O C, 2017
	Biochemical Oxygen Demand (BOD) 5 days @ 20°C	APHA 5210 B & APHA 4500-O G, 2005 APHA 5210 B & APHA 4500-O G, 2017
	Chemical Oxygen Demand (COD)	In House Method 0560 based on APHA 5220 C, 2017 & USGS-Method of Analysis of organic substances in water-Chemical Oxygen Demand
	Aluminium	APHA 3500-AI B, 2005 APHA 3500-AI B, 2017
	Total Mercury	In House Method 0574 based on USEPA 1631
	Methyl Mercury	In House Method 0575 based on USEPA 1630
	Boron	APHA 4500-B C, 2005 APHA 4500-B C, 2017
	Chromium Hexavalent	APHA 3500-Cr B, 2005 APHA 3500-Cr B, 2017
	Sulphide	APHA 4500 S ²⁻ D, 2005 APHA 4500 S ²⁻ D, 2017
Sulphide	APHA 4500-S ²⁻ F, 2005 APHA 4500-S ²⁻ F, 2017	

Scan this QR Code or visit www.ism.gov.my/cab-df/rectories for the current scope of accreditation

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 23 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Water <ul style="list-style-type: none"> • Marine Water • Estuarine Water • Formation Water/Produce Water 	Cyanide	APHA 4500-CN C & E, 2005 APHA 4500-CN C & E, 2017
	Cyanide	APHA 4500-CN C & F, 2005 APHA 4500-CN C & F, 2017
	Phenol	APHA 5530 B & C, 2005 APHA 5530 B & C, 2017
	Anionic Surfactant as MBAS	APHA 5540 C, 2005 APHA 5540 C, 2017
	Formaldehyde	In-House Method 0527 based on AOAC 931.08
	Total Organic Carbon	APHA 5310 B, 2005 APHA 5310 B, 2017
	Total Organic Carbon	APHA 5310 C, 2005 APHA 5310 C, 2017
	Oil and Grease	APHA 5520 B, 2005 APHA 5520 B, 2017
	Hydrocarbons/Mineral Oil (Commonly known as Total Petroleum Hydrocarbon)	APHA 5520 F, 2005 APHA 5520 F, 2017
	Total Petroleum Hydrocarbon	In House Method 0539 based on TNRCC method 1005, rev 03, 1 st June 2001
Polycyclic Aromatic Hydrocarbon (see Appendix I)	In-House Method 0538 based on USEPA 3510 C December 1996 & In-House Method 0534 based on USEPA 8270 C December 1996	

Scan this QR Code or visit www.ism.gov.my/cab-df/rectories for the current scope of accreditation

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 24 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Water <ul style="list-style-type: none"> • Marine Water • Estuarine Water • Formation Water/Produce Water 	Benzene, Toluene, Ethyl Benzene and o, p, m – Xylene (BTEX)	In-House Method 0521 based on USEPA 8260/5030 C, 1996

Signatories:

- | | |
|--------------------------------------|---------------------------|
| 1. Chan Woon Peng | IKM No. F/0035/509/77/86 |
| 2. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 3. Hii Lu Yong | IKM No. M/1614/2646/96/98 |
| 4. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 5. Tang Jock Kie | IKM No. M/2747/5242/08/08 |
| 6. Jong Hui Lan | IKM No. M/306/5660/10/10 |
| 7. Michelle Crystal | IKM No. M/4583/6551/13/16 |
| 8. Caroline Joan Anak Dan | IKM No. L/2658/7882/17 |
| 9. Tiong Huo Bing | IKM No. M/5473/8826/21 |
| 10. Siti Nurhairunissa Binti Drahman | IKM No. L/2533/7553/16 |

Schedule

Issue date: 01 November 2021
Valid until: 31 October 2024



NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 25 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Water <ul style="list-style-type: none"> Marine Water Estuarine Water Formation Water/Produce Water 	<u>Polychlorinated biphenyls</u> 2-Chlorobiphenyl (1) 3,3'-Dichlorobiphenyl (11) 2,4,5-Trichlorobiphenyl (29) 2,2',4,4'-Tetrachlorobiphenyl (47) 2,3',4,5',6-Pentachlorobiphenyl (121) 2,2',3,3',6,6'-Hexachlorobiphenyl (136) 2,2',3,4,5,5',6-Heptachlorobiphenyl (185) 2,2',3,3',4,4',5,5'-Octachlorobiphenyl (194) 2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl (206) Decachlorobiphenyl (209) Reporting Limit: <10µg/L	In House Method 0596 based on USEPA 3510 C and USEPA 8270 C
	Unionised Ammonia by Calculation	In House Method 0590 adopted from Unionised Ammonia Calculator V 1.2 by Florida Dept. of Environmental Protection
	Methyl Tert-Butyl Ether (MTBE)	In House Method 5997 based on USEPA 5030 C & USEPA 8260 C
	Arsenic III	APHA 3500-As B, 2017
	Total Nitrogen by Calculation	In House Method 5996 based on USEPA Definition of Total Nitrogen
	<u>Organochlorinated Pesticides</u> Aldrin Dieldrin Cis Chlordane Trans Chlordane 4,4'-DDE 4,4'-DDT 4,4'-DDD Heptachlor Heptachlor Epoxide Lindane (γ-BHC) α-BHC β-BHC δ-BHC Endosulfan I Endosulfan II Endosulfan Sulfate Endrin Endrin Ketone Endrin Aldehyde Methoxychlor	In House Method 6040 based on USEPA 608 & USEPA 8270E

Scan this QR Code or visit www.ism.gov.my/cab-directories for the current scope of accreditation

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 26 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Water <ul style="list-style-type: none"> • Marine Water • Estuarine Water • Formation Water/Produce Water 	Volatile Organic Carbon (Appendix A) Trihalomethanes Chloroform Bromodichloromethane Chlorodibromomethane Bromoform	In house Method 6042 based on USEPA 5030C & USEPA 8260D
	Trihalomethanes Chloroform Bromodichloromethane Chlorodibromomethane Bromoform	In House Method 5021 based on USEPA 5030C & USEPA 8260D
<ul style="list-style-type: none"> • River Water 	Ferrous Iron	APHA 3500 Fe B

Scan this QR Code or visit www.ism.gov.my/cab-df/rectories for the current scope of accreditation**Signatories:**

- | | |
|-------------------------------------|---------------------------|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08 |
| 4. Michelle Crystal | IKM No. M/4583/6551/13/16 |
| 5. Caroline Joan Anak Dan | IKM No. L/2658/7882/17 |
| 6. Tiong Huo Bing | IKM No. M/5473/8826/21 |
| 7. Siti Nurhairunissa Binti Drahman | IKM No. L/2533/7553/16 |

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 27 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Water <ul style="list-style-type: none"> • Marine Water • Estuarine Water • Formation Water/Produce Water 	Chlorophyll a Tributyltin *Oil and Grease (Mineral) *Oil and Grease (Emulsified Edible) Dissolved/Dispersed Petroleum Hydrocarbon (DDPH) (as Chrysene)	APHA 10200 H, 2017 In House Method 0589 based on APHA 6710 B, 2017 APHA 5520 F, 2005 APHA 5520 F, 2017 APHA 5520 B & F, 2005 APHA 5520 B & F, 2017 In House Method 6001 based on MARPOLMON-P & Agilent Application Note 5989-7953EN

Note:

- *As per National Water Quality Standards for Malaysia
- MARPOLMON-P: Procedure for the Petroleum Component of the IOC Marine Pollution Monitoring System

Signatories:

- | | |
|--|----------------------------------|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08 |
| 4. Michelle Crystal | IKM No. M/4583/6551/13/16 |
| 5. Caroline Joan Anak Dan | IKM No. L/2658/7882/17 |
| 6. Tiong Huo Bing | IKM No. M/5473/8826/21 |
| 7. Siti Nurhairunissa Binti Drahman | IKM No. L/2533/7553/16 |

Schedule

Issue date: 01 November 2021
Valid until: 31 October 2024



NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 28 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Water <ul style="list-style-type: none"> • Marine Water • Estuarine Water 	Silver (Ag) Aluminium (Al) Arsenic (As) Boron (B) Barium (Ba) Beryllium (Be) Bismuth (Bi) Calcium (Ca) Cadmium (Cd) Cobalt (Co) Chromium (Cr) Copper (Cu) Iron (Fe) Potassium (K) Lithium (Li) Magnesium (Mg) Manganese (Mn) Molybdenum (Mo) Sodium (Na) Nickel (Ni) Phosphorus (P) Lead (Pb) Sulphur (S)	APHA 3030F & APHA 3125B, 2005 APHA 3030F & APHA 3125B, 2017

Scan this QR Code or visit www.ism.gov.my/cab-direktories for the current scope of accreditation

NO: SAMM 057(Issue 2, 1 November 2021 replacement
of SAMM 057 dated 5 July 2021)

Page: 29 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Water <ul style="list-style-type: none"> • Marine Water • Estuarine Water 	Antimony (Sb) Selenium (Se) Tin (Sn) Strontium (Sr) Titanium (Ti) Thallium (Tl) Vanadium (V) Zinc (Zn) Tellurium (Te) Uranium (U) Platinum (Pt) Gold (Au) Palladium (Pd) Iridium (Ir)	APHA 3030F & APHA 3125B, 2005 APHA 3030F & APHA 3125B, 2017

Scan this QR Code or visit www.ism.gov.my/cab-direktories for the current scope of accreditation**Signatories:**

- | | |
|--|----------------------------------|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08 |
| 4. Michelle Crystal | IKM No. M/4583/6551/13/16 |
| 5. Caroline Joan Anak Dan | IKM No. L/2658/7882/17 |
| 6. Tiong Huo Bing | IKM No. M/5473/8826/21 |
| 7. Siti Nurhairunissa Binti Drahman | IKM No. L/2533/7553/16 |

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 30 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Solvent <ul style="list-style-type: none"> Ammonia Solution 	Concentration of Ammonia Solution Chloride Sulphate	In House Method 6007 based on JECFA In House Method 6008 based on AnalaR Standards for Laboratory Chemical In House Method 6009 based on AnalaR Standards for Laboratory Chemical

Note:

- JECFA- Joint FAO/WHO Expert Committee on Food Additives

Signatories:

- | | |
|-------------------------------------|---------------------------|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08 |
| 4. Michelle Crystal | IKM No. M/4583/6551/13/16 |
| 5. Caroline Joan Anak Dan | IKM No. L/2658/7882/17 |
| 6. Tiong Huo Bing | IKM No. M/5473/8826/21 |
| 7. Siti Nurhairunissa Binti Drahman | IKM No. L/2533/7553/16 |

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 31 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Foods <ul style="list-style-type: none"> Food and Food Products 	Total Nitrogen / Protein (including feedstuff)	In-House Method 0506 based on Pearson's Chemical Analysis of Food (8 th Ed.)
	Sulphur dioxide (in unpreserved fresh prawn)	In-House Method 0505 based on Pearson's Chemical Analysis of Food (8 th Ed.)
	Moisture	In-House Method 0509 based on Pearson's Chemical Analysis of Food (8 th Ed.)
	Ash	In-House Method 0510 based on Pearson's Chemical Analysis of Food (8 th Ed.)
	Carbohydrate (by difference)	In-House Method 0512 based on Method of Analysis for Nutrition Labeling (AOAC 1993)
	Energy (by calculation)	In-House Method 0513 based on Method of Analysis for Nutrition Labeling (AOAC 1993)
	Fat by Soxhlet Extraction	In-House Method 0511 based on Pearson's Chemical Analysis of Food (8 th Ed.)
	Fat by Rose Gottlieb Method	In-House Method 0514 based on Pearson's Chemical Analysis of Food (8 th Ed.)

Scan this QR Code or visit www.ism.gov.my/cab-df/rectories for the current scope of accreditation**Signatories:**

- | | |
|---------------------------|---------------------------|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08 |

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 32 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Foods <ul style="list-style-type: none"> • Fish • Prawn • Soy Sauce • Tomato Sauce 	<u>Heavy Metals</u> Antimony Arsenic Cadmium Lead Tin	In-House Method 0544 based on AOAC 999.11
<ul style="list-style-type: none"> • Edible Bird Nest 	Nitrite & Nitrate	In-House Method 0540 based on AOAC 973.31 & APHA 4500 NO ₂ B & NO ₃ E, 2012
<ul style="list-style-type: none"> • Fish and Prawn 	Mercury	In House Method 0558 based on APHA 3112 B, 2012
<ul style="list-style-type: none"> • Fish 	Formaldehyde	In-House Method 0536 based on AOAC 964.21
<ul style="list-style-type: none"> • Vegetable/ Fruit 	<u>Organochlorinated Pesticides:</u> Aldrin (309-00-2), α -BHC (319-84-6), β -BHC (319-85-7), δ -BHC (319-86-8), γ -BHC (Lindane) (58-89-9), cis-Chlordane (5103-71-9), trans-Chlordane (5103-74-2), Dieldrin (60-57-1), Endosulfan I (959-98-8), Endosulfan II (33213-65-9), Endosulfan sulfate (1031-07-8), Endrin (72-20-8), Endrin aldehyde (7421-93-4), Endrin ketone (53494-70-5), Heptachlor (76-44-8), Heptachlor epoxide (isomer B) (1024-57-3), Methoxychlor (72-43-5)	In House Method 0570 based on Food Control 32 (2013) 322-326 & Food Chemistry 131 (2012) 611-616
<ul style="list-style-type: none"> • Honey 	Chloramphenicol	In House Method 0569 based on Agilent Application Note 5990-5975 EN
<ul style="list-style-type: none"> • Soy Sauce, Honey, Fish Balls, Meat Balls, Syrup, Soft Drinks 	Benzoic acid and/or Sorbic acid	In House Method 0568 based on Agilent Application Note 5990-6082 EN

Scan this QR Code or visit www.ism.gov.my/cab-directories for the current scope of accreditation

NO: SAMM 057(Issue 2, 1 November 2021 replacement
of SAMM 057 dated 5 July 2021)

Page: 33 of 51

SCOPE OF TESTING: CHEMICAL

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Foods <ul style="list-style-type: none"> • Honey • Cordial Drink 	Ascorbic Acid	In House Method 0567 based on Agilent Application Note 5990- 8270 EN
<ul style="list-style-type: none"> • Honey • Palm Sugar 	Sugar Profile: Sucrose Glucose Fructose Maltose Lactose	In House Method 6000 based on Agilent Data Sheet 820629-008D

Signatories:

- | | |
|---------------------------|---------------------------|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08 |

NO: SAMM 057(Issue 2, 1 November 2021 replacement
of SAMM 057 dated 5 July 2021)**SCOPE OF TESTING: CHEMICAL**

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Agricultural Products and Materials <ul style="list-style-type: none"> Fertilizers 	Nitrogen Phosphorus Potassium Magnesium Boron	In-House Method 0515 MS 417: Part 4: 1994 In-House Method 0517 based on MS 417: Part 5: 1994 MS 417: Part 6: 1994 MS 417: Part 7: 2001
<ul style="list-style-type: none"> Compost 	Organic Carbon	MS 2469:2012

Signatories:

- | | |
|---------------------------|---------------------------|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08 |

NO: SAMM 057(Issue 2, 1 November 2021 replacement
of SAMM 057 dated 5 July 2021)**SCOPE OF TESTING: CHEMICAL**

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Agricultural Products and Materials <ul style="list-style-type: none"> • Palm Oil and Palm Oil Products 	Lovibond Colour	MPOB P4.1: 2004
	Moisture and Volatile Matter	MPOB P2.1: 2004
	Impurities	MPOB P2.2: 2004
	Acidity	MPOB P2.5: 2004
	Iodine Value	MPOB P3.2: 2004 AOCS Cd 1b-87
	Slip Melting Point	MPOB P4.2: 2004
	Carotene Content	MPOB P2.6: 2004
	DOBI	MPOB P2.9: 2004

Signatories:

- | | |
|----------------------------------|----------------------------------|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08 |

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 36 of 51

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Others <ul style="list-style-type: none"> Aluminium Sulphate 	Water Soluble Aluminium Compounds (Al_2O_3)	MS 699: 2008: Annex B1
	Basicity (as Al_2O_3)	MS 699: 2008: Annex C
	Determination of Iron (as Fe_2O_3)	MS699: 2008: Annex F3
<ul style="list-style-type: none"> Hydrated Lime 	Available Lime (Alternative Method)	BS EN 12485: 2010 (E)

Signatories:

- | | |
|---------------------------|---------------------------|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08 |

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 37 of 51

SCOPE OF TESTING: CHEMICAL

Materials / Products Tested	Type of Tests / Properties Measured / Range of Measurement	Standard Test Methods / Equipment / Techniques
Petroleum & Petroleum Products <ul style="list-style-type: none"> Biodiesel Blend 	Density	ASTM D 1298-12b (Reapproved 2017)
	Water Content	ASTM D 6304-20 (Procedure A)
	Flash Point	ASTM D 93-20 (Procedure A)
<ul style="list-style-type: none"> Biodiesel 	Density	ASTM D 1298-12b (Reapproved 2017)
	Density Correction	EN 14214:2008 (E) Annex C
	Water Content	ASTM D 6304-20 (Procedure A)
<ul style="list-style-type: none"> Petroleum Distillates 	Determination of Aromatic Hydrocarbon Type	EN 12916-2006
<ul style="list-style-type: none"> Jet A1/ Diesel 	Flash Point	ASTM D 93-20 (Procedure A)
<ul style="list-style-type: none"> Scheduled Waste (Spent Lubricating Oil/ Spent Hydraulic Oil/ Liquid Waste) 	Flash Point	USEPA 1010A
<ul style="list-style-type: none"> Transformer Oil 	Water Content	ASTM D 6304-20 (Procedure A)

Scan this QR Code or visit www.ism.gov.my/cab-direktories for the current scope of accreditation**Signatories:**

- | | |
|----------------------------------|--|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08 |
| 4. Josephine Anak Jonip | IKM No. L/3005/8931/21
MLA I-012434 |

NO: SAMM 057(Issue 2, 1 November 2021 replacement
of SAMM 057 dated 5 July 2021)**SCOPE OF TESTING: CHEMICAL****SITE: CATEGORY I**

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none"> Water and Wastewater 	pH Value Free Residual Chlorine (DPD) Combined Residual Chlorine (DPD) Total Residual Chlorine (DPD) Oxygen (Dissolved) Temperature	APHA 4500-H ⁺ B, 2005 APHA 4500-H ⁺ B, 2017 In-House Method 0501 based on Palintest Comparator In-House Method 0501 based on Palintest Comparator In-House Method 0501 based on Palintest Comparator APHA 4500-O G, 2005 APHA 4500-O G, 2017 APHA 2550 B, 2005 APHA 2550 B, 2017
<ul style="list-style-type: none"> Ambient Air 	Total Suspended Particulate Matter Deposited Particulate Matter (Total Solid)	AS/NZS 3580.9.3:2015 AS/NZS 3580.10.1:2003

Note:

- APHA: American Public Health Association

Signatories:

- | | |
|---------------------------|---------------------------|
| 1. Sim Hang Thiew | IKM No M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/2008 |

NO: SAMM 057(Issue 2, 1 November 2021 replacement
of SAMM 057 dated 5 July 2021)

Page: 40 of 51

SCOPE OF TESTING: CHEMICAL**SITE: CATEGORY I**

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none"> Ambient Air 	PM10 PM2.5 O ₃ CO H ₂ S NH ₃	In House Method 6020 based on Instrumentation- Direct Reading Aeroqual 500

Signatories:

- | | |
|----------------------------------|----------------------------------|
| 1. Sim Hang Thiew | IKM No M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/2008 |
| 4. Lau Suk Eng | |
| 5. Rompen Anak Bajing | |
| 6. *Sabrina Ummi | |

*This signatory is a non-resident signatory.

The signatory No. 5-7 only for parameter marked with #

The signatory No. 5-7 are under supervision of registered and resident chemist.

NO: SAMM 057(Issue 2, 1 November 2021 replacement
of SAMM 057 dated 5 July 2021)

Page: 41 of 51

SCOPE OF TESTING: CHEMICAL**SITE: CATEGORY I**

Materials/Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none"> Ambient Noise 	Measurement of Noise Emission Level	ISO 1996-1:2016 & ISO 1996-2:2017

Note:

- ISO-International Organization for Standardization

Signatories:

- Lau Suk Eng
- Rompen Anak Bajing
- *Sabrina Ummi

*This signatory is a non-resident signatory

All of them and are under supervision of registered and resident chemist.

NO: SAMM 057(Issue 2, 1 November 2021 replacement
of SAMM 057 dated 5 July 2021)

Page: 42 of 51

SCOPE OF TESTING: CHEMICAL**SITE: CATEGORY I**

Materials/Products Tested	Type of Tests/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring <ul style="list-style-type: none"> Industrial Hygiene (Area & Personal Exposure) 	Hydrocarbons, BP 36°-216°C (N- Hexane only)	NMAM 1500
	Hydrocarbon, Aromatic (Benzene, Toluene, Ethylbenzene & Xylene)	NMAM 1501
	Mercury	NMAM 6009
	Methanol	NMAM 2000
	Alkaline Dusts (as NaOH)	NMAM 7401
	Total Particulate	NMAM 0500
	Respirable Particulate	NMAM 0600

Note:

- NMAM: NIOSH Manual of Analytical Methods.

Signatories:

- | | |
|----------------------------------|---|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08 |
| 4. Michelle Crystal | IKM No. M/4583/6551/13/16
(For NMAM 0500 & NMAM 0600 only) |

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 43 of 51

SCOPE OF TESTING: CHEMICAL**SITE: CATEGORY I**

Materials/Products Tested	Type of Tests/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Environmental Monitoring • Stationary Air Emission	Particulate Matter	MS 1596:2003
	Particulate Matter	USEPA Method 5
	SO ₂	In House Method 0585 based on Testo 350 Flue gas analyser
	NO	
	NO ₂	
	CO	
	CO ₂	
	O ₂	
	H ₂ S	
	Dark Smoke	BS 2742:2009
	Smoke Density	US Bureau of Mines Information Circular 8333 (revision of IC 7718)

Signatories:

- | | |
|---------------------------|---|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08(In House Method 0585 only) |
| 4. Lau Suk Eng | All the above except In House Method 0585 |
| 5. Rompen Anak Bajing | All the above except In House Method 0585 |
| 6. *Sabrina Umami | All the above except In House Method 0585 |

*This signatory is a non-resident signatory.

The signatory No. 5-7 are under supervision of registered and resident chemist.

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

Page: 44 of 51

SCOPE OF TESTING: CHEMICAL**SITE: CATEGORY I**

Materials/Products Tested	Type of Tests/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Water <ul style="list-style-type: none"> Groundwater 	#LNAPL Thickness #Oxidation Reduction Potential	In House Method 6045 based on Solinst Interface Meter In House Method 6003 based on APHA 2580
<ul style="list-style-type: none"> Groundwater Marine Water 	#Appearance #Odor	In House method 6006 based on Washington Department of Health Publication 331-286 Revised February 2018

Signatories:

- | | |
|----------------------------------|---|
| 1. Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 2. Winnie Ling Siew Kiong | IKM No. M/2749/4716/05/08 |
| 3. Tang Jock Kie | IKM No. M/2747/5242/08/08(In House Method 0585 only) |
| 4. Lau Suk Eng | All the above except In House Method 0585 |
| 5. Rompen Anak Bajing | All the above except In House Method 0585 |
| 6. *Sabrina Umami | All the above except In House Method 0585 |

*This signatory is a non-resident signatory.

The signatory No. 5-7 only for parameter marked with #

The signatory No. 5-7 are under supervision of registered and resident chemist.

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

SCOPE OF TESTING: MICROBIOLOGY

Materials/Products Tested	Type of Test/Properties Measured/Range of Measurement	Standard Test Methods/ Equipment/Techniques
Microbiological Environmental Sample <ul style="list-style-type: none"> Water and Wastewater 	Heterotrophic Plate Count	APHA 9215 B, 2005 APHA 9215 B, 2017
	Total Coliform Count	APHA 9221 B, 2005 APHA 9221 B, 2017
	Fecal Coliform Count	APHA 9221 E, 2005
	Thermotolerant (Fecal) Coliform Count	APHA 9221 E, 2017
	<i>Escherichia Coli</i> Count	In-House Method 0601 based on APHA 9221 E, 2017 & AS 4276.6,1995
<ul style="list-style-type: none"> Water and Wastewater (Field Sampling & Testing) 	Enzyme Substrate Test: Total Coliform & <i>Escherichia Coli</i> Count	APHA 9223 B,2012
<ul style="list-style-type: none"> Water 	Examination of <i>Legionella</i> including <i>Legionella Pneumophila</i>	AS/NZS 3896: 1998
	<i>Pseudomonas Aeruginosa</i>	APHA 9213 E, 2017
	Fecal <i>Enterococci</i> / <i>Streptococci</i>	APHA 9230 C, 2017
	Fecal <i>Enterococci</i>	APHA 9230 B, 2017
<ul style="list-style-type: none"> Surface Equipment Personnel Hand 	Swab Test: Standard Plate Count	In-House Method 0605:1 Swab Contact Method
	Coliform Count	In-House 0605:2 based on AOAC 46.016,1984
	<i>E.Coli</i> Count	In-House 0605:3 based on AS 1766.2.3, 1992
	Coagulase-positive <i>Staphylococci</i>	In-House 0605: 4 based on AS 1766.2.4,1994
	<i>Salmonellae</i>	In-House 0605: 5 based on AS 1766.2.5,1991

Scan this QR Code or visit www.ism.gov.my/cab-directories for the current scope of accreditation

NO: SAMM 057(Issue 2, 1 November 2021 replacement
of SAMM 057 dated 5 July 2021)

Page: 46 of 51

SCOPE OF TESTING: MICROBIOLOGY

Materials/Products Tested	Type of Test/Properties Measured/Range of Measurement	Standard Test Methods/ Equipment/Techniques
Microbiological Tests on Foods <ul style="list-style-type: none"> Food and Food Products 	Standard Plate Count	AS 1766.2.1, 1991
	Coliform Count	AS 1766.2.3, 1992 AOAC 46.016, 1984
	<i>Escherichia Coli</i> Count	AS 1766.2.3, 1992
	<i>Salmonellae</i>	AS 1766.2.5, 1991
	<i>Vibrio Parahaemolyticus</i> (Qualitative Test)	AS 1766.2.9, 1991
	Vibrio Cholerae	In House Method 0602 based on Ministry of Health Malaysia
	Yeasts and Molds Count	FDA/BAM, 5 th Edition In-House Method 0603 based on APHA Compendium Method
	Coagulase-positive <i>Staphylococci</i>	AS 1766.2.4, 1994
	<i>Staphylococcal</i> Enterotoxins	In-House Method 0604 based on TECRA SET VIA
	Listeria spp	In-House Method 0606 based on TECRA SET VIA
	Listeria spp. per 25 g sample	RapidChek®Listeria species Food System

Scan this QR Code or visit www.ism.gov.my/cab-direktories for the current scope of accreditation

NO: SAMM 057(Issue 2, 1 November 2021 replacement
of SAMM 057 dated 5 July 2021)

Page: 47 of 51

SCOPE OF TESTING: MICROBIOLOGY

Materials/Products Tested	Type of Test/Properties Measured/Range of Measurement	Standard Test Methods/ Equipment/Techniques
Microbiological Environmental Sample <ul style="list-style-type: none"> Environmental Surfaces 	Detection of <i>Listeria</i> spp on Surface	RapidChek@ <i>Listeria</i> species Environmental System

Signatories:

- | | | |
|----|----------------------------------|----------------------------------|
| 1. | Goh Chia Mey | MJMM 0118 |
| 2. | Soovinessh A/L Jeya Kumar | MJMM 0859 |
| 3. | *Sim Hang Thiew | IKM No. M/0688/1530/83 |
| 4. | *Jong Hui Lan | IKM No. M/3096/5660/10/10 |
| 5. | ** Stephanie Evert Jole | MJMM 0369 |

* Signatories only for:

- Heterotrophic Plate Count APHA 9215 B, 2005/2017
- Fecal Coliform Count APHA 9221E, 2005
- Thermotolerant (Fecal) Coliform Count, APHA 9221 E, 2017
- Total Coliform Count APHA 9221 B, 2005/2017
- Escherichia coli* Count In House Method 0601 based on APHA 9221 E, 2017 & AS 4276.6, 1995

** This signatory is a non-resident signatory.

NO: SAMM 057

(Issue 2, 1 November 2021 replacement of SAMM 057 dated 5 July 2021)

SCOPE OF TESTING: MICROBIOLOGY

Materials/Products Tested	Type of Test/Properties Measured/Range of Measurement	Standard Test Methods/Equipment/Techniques
<p>Microbiological Environmental Sample</p> <ul style="list-style-type: none"> Water and Waste Water 	<p><i>Escherichia Coli</i> Count</p> <p><i>Clostridium perfringens</i></p> <p>Sulphite Reducing <i>Anaerobe</i></p> <p>Total Coliform by Membrane Filtration</p> <p><i>Escherichia Coli</i> by Membrane Filtration</p> <p><i>Shigella</i> (MF)</p> <p>Total Coliform & E Coli by Dual Chromogen Membrane Filtration</p> <p>Thermotolerant Fecal Coliform by Membrane Filtration Method</p>	<p>APHA 9221 G, 2017</p> <p>The Microbiology of Drinking Water (2010)-Part 6B</p> <p>The Microbiology of Drinking Water (2010)-Part 6A (the correct test method for SRA)</p> <p>In House Method 0606 based on APHA 9222 B, 2017</p> <p>In House Method 0610 based on APHA 9222 H, 2017</p> <p>APHA 9260 E, 2017</p> <p>In House Method 0608 based on APHA 9222 J, 2017</p> <p>APHA 9222 D, 2017</p>

Note:

- AS : Australia Standards
- AOAC : Association of Official Analytical Chemists
- AOCS : American Oil Chemists Society
- FDA/BAM : Food and Drug Administration/Bacteriological Analytical Manual
- APHA : American Public Health Association

Scan this QR Code or visit www.ism.gov.my/cab-directories for the current scope of accreditation

NO: SAMM 057(Issue 2, 1 November 2021 replacement
of SAMM 057 dated 5 July 2021)

Page: 49 of 51

SCOPE OF TESTING: MICROBIOLOGY

Materials/Products Tested	Type of Test/Properties Measured/Range of Measurement	Standard Test Methods/Equipment/Techniques
Microbiological Environmental Sample <ul style="list-style-type: none"> River water Marine Water 	Thermotolerant (<i>Fecal</i>) Coliform by Membrane Filtration	In House Method 0609 based on APHA 9222G, 2017
<ul style="list-style-type: none"> Marine Water Estuarine Water Formation Water/Produce Water 	Total Coliform & E Coli by Dual Chromogen Membrane Filtration Thermotolerant Fecal Coliform by Membrane Filtration Method	In House Method 0608 based on APHA 9222 J, 2017 APHA 9222 D, 2017
Microbiological Tests on Foods <ul style="list-style-type: none"> Food and Food Products 	<i>Bacillus cereus</i> <i>Clostridium perfringens</i>	CCFRA Microbiological Methods Manual, Method 8.1:1995 CCFRA Microbiological Methods Manual, Method 12.1:1995

Note:

- CCFRA - Campden & Chorleywood Food Research Association

Signatories:

- | | | |
|----|----------------------------------|------------------|
| 1. | Goh Chia Mey | MJMM 0118 |
| 2. | Soovinessh A/L Jeya Kumar | MJMM 0859 |
| 3. | *Stephanie Evert Jole | MJMM 0369 |

* This signatory is a non-resident signatory.

NO: SAMM 057

(Issue 2, 1 November 2021 replacement
of SAMM 057 dated 5 July 2021)

Page: 50 of 51

APPENDIX A

List of Polycyclic Aromatic Hydrocarbon (PAH)

1. Naphthalene
2. 1-Methylnaphthalene
3. 2-Methylnaphthalene
4. Acenaphthene
5. Acenaphthylene
6. Fluorene
7. Phenanthrene
8. Anthracene
9. Fluoranthene
10. Pyrene
11. Benz(a)anthracene
12. Chrysene
13. Benzo(b)fluoranthene
14. Benzo(k)fluoranthene
15. Benzo(a)pyrene
16. Indeno(1,2,3-c,d)pyrene
17. Dibenz(a,h)anthracene
18. Benzo(g,h,i)perylene

NO: SAMM 057

(Issue 2, 1 November 2021 replacement
of SAMM 057 dated 5 July 2021)

Page: 51 of 51

APPENDIX B**List of Volatile organic Compounds**

1. Methylene chloride (Dichloromethane)
2. 1,1-Dichloroethane
3. 1,2-Dichloroethylene (trans)
4. Bromochloromethane
5. Chloroform
6. 2,2-Dichloropropane
7. 1,2-Dichloroethane
8. 1,1,1-Trichloroethane
9. Carbon Tetrachloride
10. Benzene
11. Dibromomethane
12. 1,2-Dichloropropane
13. Trichloroethylene
14. Bromodichloromethane
15. 1,1,2-Trichloroethane
16. Toluene
17. 1,3-Dichloropropane
18. Ethyl methacrylate
19. Dibromochloromethane
20. 1,2-Dibromoethane (EDB)
21. Tetrachloroethylene
22. 1,1,1,2-tetrachloroethane
23. Chlorobenzene
24. Ethylbenzene
25. Bromoform
26. Styrene
27. 1,2,3-Trichloropropane
28. Bromobenzene
29. 1,2-Dichlorobenzene
30. 1,2-Dibromo-3-chloropropane
31. 1,2,4-Trichlorobenzene
32. Hexachlorobutadiene
33. 1,2,3-Trichlorobenzene

Scan this QR Code or visit www.ism.gov.my/cab-direktories for the current scope of accreditation